

Semester: Jan-Mar 2024								
Maximum Marks: 25 Examination: ESE Exam Date: 24-04-24 Duration: 1.5 Hours								
Programme code: 17 Program: PGDM EXE	Class: SY	Semester/Trimester: III						
College: K. J. Somaiya Institute of Management	Name of the department/Section/Center: Operations and Supply Change Management							
Course Code: 117I17E306	Name of the Course: Projec	et Management (A)						

stion 1 is compulsory. Answer any two from Q2 to Q4

Question No.					Max. Marks				
1	Under Malabar Hill, there is a century old reservoir which supplies water to entire south Mumbai. BMC wants to rebuild that reservoir as structural stability of that reservoir is questionable as per BMC. During re-building of that reservoir famous "Hanging Gardens" which sits on top of this reservoir will be off-limits for several years. Also, water needs to be supplied for entire South Mumbai through alternate means. There is a strong opposition to this project by residents as they will not be able to visit "Hanging Gardens". Environmentalists and nature lovers are up in arms as hundreds of trees will be cut. Section of the population feels that there is no need to rebuild the reservoir as it is in good shape and minor repairs can do the job. Malabar Hill is home to richest population in Mumbai with many top Industrialists, Corporate executives and ministers living in this area.								
	BMC has hired you as Proje for public hearing.	ct Management Consultant f	or this project and asked you to prepare a F	Project Charter Document for sub	mission				
	Please prepare Project charte	er with following paragraphs	5						
	Project Purpose	e or Justification							
	High-level Project description and boundaries								
	High-level Requirements								
	 Assumptions and 	nd constraints							
	• High-level risk	s							
	• Summary miles	stone Schedule							
	• Summary Budg	get							
	Stakeholder list	t							
2	Activity and Precedence list	along with "Expected Time"	" for completion and variance is given in b	elow table	10				
	Activity	Predecessor	Expected Time	Variance					
	A	-	2	2/6					
	B	-	3	2/6					
		A	2	4/6					
		в	4	2/6					
	F	C	3	1/6					
	1	C	5	1/0					

	G	D, E		5	1/6					
	1. Draw project n	etwork diagram								
	2. Calculate Proje	2. Calculate Project Duration								
	3. Identify critical path									
	4. What is project variance and standard deviation?									
	5. What is the probability that project will be completed in 15 weeks?									
	6. Z value table is	given in annexure I								
3	Activity and Preceder	nce list along with Normal Tir	ne, Crash Time, Norm	al Cost and Crash Cost a	are as given below		10			
	Activity	Predecessor	Normal Time	Crash Time	Normal Cost \$	Crash Cost \$				
			(Months)	(Months)						
	A	-	10	8	2000	2400				
	В	-	7	5	3000	3500				
	С	А	9	8	1000	1300				
	D	В	6	4	2000	2600				
	Е	D	9	8	8800	9000				
	1. Please draw pr	1. Please draw project network diagram								
	2. Calculate proje	ct duration								
	3. Identify critical	3. Identify critical path								
	4. Determine the	4. Determine the least cost to crash project by 3 months								
	5. Can we crash t	he project beyond 3 months?	If yes, how much and a	it what cost?						
	6. What is the bes	t possible crash schedule and	cost for it?							

	Week	Cumulative Planned	Cumulative Actual	Weekly Planned cost	Weekly Actuel cost
	WEEK	Completion	Completion	Budget	incurred
	1	5%	4%	100	120
	2	10%	7%	100	150
	3	15%	12%	100	100
	4	20%	15%	100	110
	5	25%	20%	100	130
	6	30%	23%	100	140
	7	35%	25%	100	100
	8	40%	25%	100	170
	9	45%	30%	100	80
	10	50%	35%	100	90
	11	55%		100	
	12	60%		100	
	13	65%		100	
	14	70%		100	
	15	75%		100	
	16	80%		100	
	17	85%		100	
	18	90%		100	
	19	95%		100	
	20	100%		100	
Calc	ulate				
1.	Schedu	le Variance			
2.	Cost va	riance			
3.	Schedu	le Performance Index (SI	PD		
4.	Cost Pe	erformance Index (CPD)	,		
5	Even	ad time to complete (ETC	\ \		
<i>5</i> .	Expecte	ed unie to complete (ETC)		
•	Expecte	ed cost at complete (EAC)		



STANDARD NORMAL TABLE (Z)

Entries in the table give the area under the curve between the mean and *z* standard deviations above the mean. For example, for z = 1.25 the area under the curve between the mean (0) and *z* is 0.3944.

Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0190	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2969	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3513	0.3554	0.3577	0.3529	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990
3.1	0.4990	0.4991	0.4991	0.4991	0.4992	0.4992	0.4992	0.4992	0.4993	0.4993
3.2	0.4993	0.4993	0.4994	0.4994	0.4994	0.4994	0.4994	0.4995	0.4995	0.4995
3.3	0.4995	0.4995	0.4995	0.4996	0.4996	0.4996	0.4996	0.4996	0.4996	0.4997
3.4	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4997	0.4998

Standard Normal Cumulative Probability Table



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
			100524			10000	1000501	0.0000		100
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
14	0.0000	0.0702	0.0779	0.0764	0.0740	0.0725	0.0721	0.0709	0.0604	0.0691
-1.4	0.0000	0.0793	0.0024	0.0019	0.0004	0.0735	0.0721	0.0700	0.0094	0.0001
-1.3	0.0900	0.1131	0.1112	0.0910	0.0901	0.0000	0.0009	0.0000	0.0030	0.0025
-1.2	0.1357	0.1131	0.1314	0.1093	0.1075	0.1050	0.1030	0.1020	0.1003	0.0905
-1.0	0.1597	0.1555	0.1514	0.1292	0.1271	0.1251	0.1230	0.1210	0.1401	0.1370
-1.0	0.1007	0.1002	0.1000	0.1010	0.1452	0.1403	0.1440	0.1420	0.1401	0.1075
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

Cumulative probabilities for NEGATIVE z-values are shown in the following table: